


TURNING LEAVES QUILT PROJECT

Beginner friendly!

Featuring **GRASSROOTS** | Amy MacCready



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2023 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

TURNING LEAVES QUILT PROJECT

SIZE: 58 ½" x 58 ½"

DESIGNER: Michelle Engel

TECHNICAL EDITOR: Linda Spiridon

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

This project uses 8 different fabrics
See chart below for fabric quantities
2 ¼ yd background fabric
½ yd binding
3 ¾ yards backing

QUILT FACE MATERIALS

Cutting dimensions include ¼" seam allowances.

½ yd each of 8 different printed fabrics (see chart below)

2- 13 ½" squares from each fabric

4- ¾" x 6" strips from FABRIC A, C, F, G (for stems)

From background fabric cut:

32- 4½" squares

16- 4" squares

1- 12½" x WOF subcut into

·12- 2½" x 12½" sashing strips

11- 2½" x 2½" strips (piece end to end) subcut to make

·5- 54½" x 2½" sashing strips

·2- 58½" x 2½"

Use a solid fabric that is the same color on both sides and has no pattern



BACKGROUND FABRIC



FABRIC A



FABRIC B



FABRIC C



FABRIC D



FABRIC E



FABRIC F



FABRIC G



FABRIC H

ASSEMBLY DIRECTIONS

1. Place two 13½" printed fabric squares right sides together. Draw a diagonal line and sew ¼" along each side of the line. Cut along center line and press to make half square triangle blocks. Trim to 12½" square. [fig 1]
2. Cut the 16- 4" squares from BACKGROUND FABRIC in half on the diagonal [fig 2]. Sew each ¾" x 6" strip FABRIC A, C, F, G to one triangle. Press to the stem. Sew the second triangle to the stem. Press, square up to 3½". [fig 2]
3. Mark a diagonal line on the wrong side of the 4½" squares. Pin square to each corner of a leaf block that does not have a seam. Sew on the line. [fig 3]
4. Pin the 3½" stem square to one corner with a seam. Sew diagonally, trim the corner and press flat. [fig 3]
5. Arrange blocks according to QUILT LAYOUT DIAGRAM. Sew 2½" x 12½" sashing strips between leaf blocks to make rows.
6. Sew 54½" x 2½" sashing between rows to complete quilt top.
7. Sew 58½" x 2½" sashing strip to the left and right sides of quilt top.
8. Layer the backing, batting and quilt top. Baste, quilt and bind.

fig 1




fig 2




fig 3





fig 4



QUILT LAYOUT DIAGRAM

