

DELPHI QUILT PROJECT

Beginner friendly!

Featuring **FRESH CUT** | *Amy Wilder*



STRIPS FRIENDLY



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2025 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & MATERIALS

DELPHI QUILT

SIZE: 60½" x 66½"




DESIGNER: Amy Lollis

WRITTEN BY: Amy Lollis

TECHNICAL EDITOR: Linda Spiridon

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.


FABRIC REQUIREMENTS

	PRECUTS	YARDAGE
STRIPS - FRESH CUT 	20 strips total	—
ACCENT FABRIC 	—	3/4 yd
BACKGROUND 	—	2 1/4 yd
BINDING YOUR CHOICE	—	1/2 yd
BACKING YOUR CHOICE	—	4 1/4 yd

COVER QUILT FABRICS



Note: This pattern is meant to be assembled in a randomized way to your own preference. In the chart below we use 14 strip print positions, which may/may not match the cover image.



CUTTING DIRECTIONS

FROM EACH 2½" STRIP:

- (1) 2½" x 10½" strip
- (2) 2½" x 6½" strips
- (6) 2½" squares

Tip: Keep pieces organized by color.

Optional: save the leftover fabric strips for scrappy binding.

BACKGROUND FABRIC:

- (28) 2½" strips
- Subcut
- (40) 2½" squares
- (20) 2½" x 6½" strips
- (40) 2½" x 8½" strips
- (12) 2½" x WOF strips for sashing


ACCENT FABRIC: (8) 2½" x WOF strips

ASSEMBLY DIRECTIONS

1. Chose (5) sets of print fabric pieces for each section of the quilt.
2. Sew the pieces into strips according to the following chart, pressing seams toward the colored strips.
3. Sew strips together. Press open.
4. Repeat to make (4) finished sections.

ASSEMBLY DIAGRAMS

Breakout of a single "S" shape



Tip: pay careful attention to positions of print pieces and the directionality of the pattern.

Example of full row



SASHING DIRECTIONS

5. Sew all 2½" background strips together end-to-end and press to one side. Cut into (8) 60½" strips.
6. Sew strips to top and bottom of each finished section.
7. Sew all 2½" background strips together end-to-end and press to one side. Cut into (5) 60½" strips.
8. Sew sashing + sections together according to the QUILT LAYOUT DIAGRAM. Press toward accent strips.
9. Layer the backing, batting and quilt top. Baste, quilt and bind.

QUILT LAYOUT DIAGRAM

