


RETRO SPOOLS QUILT PROJECT

Beginner friendly!

Featuring **SUMMERS END** | *Emily Taylor*

FAT
QUARTER
FRIENDLY



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2025 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & CREDITS

RETRO SPOOLS QUILT

SIZE: 43" x 53"

DESIGNER: Michelle Engel

WRITTEN BY: Amy Lollis

TECHNICAL EDITOR: Linda Spiridon


Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

FABRIC REQUIREMENTS


	PRECUTS	YARDAGE
THREAD A-J <i>Tip: Use larger prints</i> 	FQs (10 total)	
SPOOLS K-N <i>Tip: Use smaller prints</i> 	FQs (4 total)	
BACKGROUND 	—	1 1/2 yd
BINDING 	—	1/2 yd
BACKING 	—	2 1/2 yd

COVER QUILT FABRICS

2297-35




2297-48



2297-41



2297-49



2297-38



2297-37



2297-46



2297-44




2297-45




2297-36



2297-51



2297-52




2297-54



2297-55



Note: This pattern is meant to be assembled in a randomized way to your own preference. If you would like to match the cover image please refer to this layout for placement.



CUTTING DIRECTIONS

Cutting dimensions include 1/4" seam allowances.


THREAD A-J (FROM EACH) :

(2) 5½" squares (20 total)

SPOOLS K-N (FROM EACH)*:

(10) 2½" x 9½" strips (40 total)

**recommended cutting directions for
Spools in directional fabrics.*



BACKGROUND:

Spool blocks:

(11) strips 2½" x WOF

Subcut:

(40) 2½" x 5½"

(80) 2½" squares

Sashing for ROWS:

(8) strips 1½" x WOF

Subcut:

4 of these strips ::

(15) pieces 1½" x 9½"

Sashing for BORDERS:

(5) strips 2½" x WOF

DIAGRAMS

fig 1



fig 2



fig 3



fig 4



fig 5



SPOOLS

1. Draw a diagonal line on the back of each of the 2½" squares *{fig 1}*.
2. Place two 2½" squares right sides together on ends of 2½" x 9½" strip. Sew on the diagonal lines *{fig 2}*. Trim excess. Open and press *{fig 3}*.

THREAD

3. Sew 2 - 2½" x 5½" to either side of 5½" square *{fig 4}*.

COMPLETE BLOCK

4. Sew 2 matching SPOOL strips to THREAD strip *{fig 5}*.
5. Following the QUILT LAYOUT DIAGRAM add 1½" x 9½" ROW SASHING between blocks to form rows.
6. Following the QUILT LAYOUT DIAGRAM add 1½" x WOF ROW SASHING (piecing them together accordingly to create length) between rows.
7. Following the QUILT LAYOUT DIAGRAM add border 2½" x WOF strips (piecing them together accordingly) and sew around the panel formed above.
8. Back, baste, quilt and bind as desired.

QUILT LAYOUT DIAGRAM

